

IN THE CLAIMS:

Please amend the claims as follows:

1. (Currently amended) A thin film transistor array panel comprising:
an insulating substrate;
a plurality of gate lines formed on the insulating substrate;
a plurality of storage electrode lines formed on the first insulating substrate and including a storage electrode;
a plurality of data lines insulated from the gate lines and intersecting the gate lines; and
a plurality of groups, each group comprising:
a pair of first and second pixel electrodes capacitively coupled to each other, disposed on pixel areas defined by intersections of the gate lines and the data lines and arranged in a matrix;
a first thin film transistor connected to one of the gate lines and one of the data lines, and connected to ~~or capacitively coupled to~~ the first pixel electrode; ~~[[and]]~~
a second thin film transistor connected to ~~or capacitively coupled to~~ the second pixel electrode ~~and one of the gate lines that is disconnected from the first thin film transistor;~~
and
a coupling electrode connected to one of the first pixel electrode and the second pixel electrode and overlapping the other of first pixel electrode and the second pixel electrode,
wherein the coupling electrode partially overlaps the storage electrode.
2. (Currently amended) The thin film transistor array panel of claim 1, wherein the storage electrode and the coupling electrode overlap an edge of one of the first and second pixel electrodes~~each group further comprises a coupling electrode connected to or overlapping the first pixel electrode and overlap the second pixel electrode with being insulating therefrom.~~
3. (Currently amended) The thin film transistor array panel of claim 2, wherein the coupling electrode is connected to a drain electrode of one of the first thin film transistor and the second thin film transistor.
4. (Currently amended) The thin film transistor array panel of ~~claim 1~~claim 3, further comprising ~~a plurality of signal lines intersecting the data lines,~~ wherein the second thin film transistor is connected to one of the storage electrode signal lines and the data lines.

5. (Currently amended) The thin film transistor array panel of claim 4, wherein the second thin film transistor is connected to one of the storage electrode signal lines, and each group further comprises a third thin film transistor connected to one of the data lines, the second pixel electrode, and one of the gate lines connected to the second thin film transistor.

6. (Previously presented) The thin film transistor array panel of claim 1, wherein at least one of the first pixel electrode and the second pixel electrode comprises at least one domain partitioning member.

7. (Previously presented) The thin film transistor array panel of claim 2, further comprising:

- a gate insulating layer disposed between the gate lines and the data lines; and
- a passivation layer disposed between the data lines and the first and the second pixel electrodes,

wherein the coupling electrode is connected to the first pixel electrode through a contact hole at the passivation layer.

8. (Original) A liquid crystal display comprising:

- a first insulating substrate;
- a gate line formed on the first insulating substrate and including first and second gate electrodes;

- a storage electrode line formed on the first insulating substrate;

- a gate insulating layer covering the gate line and the storage electrode line;

- first and second amorphous silicon layers formed on the gate insulating layer;

- a data line formed on the gate insulating layer and including a first source electrode disposed on the first amorphous silicon layer at least in part;

- a second source electrode disposed on the second amorphous silicon layer at least in part;

- first and second drain electrodes formed on the first and the second amorphous silicon layers at least in part and disposed opposite the first and the second source electrodes, respectively;

- a coupling electrode formed on the gate insulating layer;

- a passivation layer formed on the data line, the first and the second drain electrodes, and the coupling electrode;

- a first pixel electrode that is formed on the passivation layer and is connected to or

overlaps the first drain electrode and the coupling electrode;

a second pixel electrode insulating from the first pixel electrode, connected to or overlaps the first drain electrode and the coupling electrode;

a second insulating layer facing the first insulating substrate; and

a common electrode formed on the second insulating substrate.

9. (Original) The liquid crystal display of claim 8, wherein the second source electrode is connected to the storage electrode line or the data line.

10. (Original) The liquid crystal display of claim 9, wherein the second source electrode is connected to the storage electrode line, and the liquid crystal display further comprises a third gate electrode connected to the gate line, a third source electrode connected to the data line, and the third drain electrode connected to the second pixel electrode.

11. (Original) The liquid crystal display of claim 9 or 10, wherein the first drain electrode is connected to the coupling electrode.

12. (Currently amended) The liquid crystal display of ~~claim 9~~claim 10, wherein the coupling electrode is connected to the first pixel electrode through a contact hole at the passivation layer.

13. (Currently amended) The liquid crystal display of ~~claim 9~~claim 12, further comprising:

a first domain partitioning member disposed on at least one of the first and the second substrates; and

a first domain partitioning member disposed on at least one of the first and the second substrates and partitioning a pixel area into a plurality of domains along with the first domain partitioning member.

14. (New) The thin film transistor array panel of claim 1, wherein two storage lines of the plurality of storage electrode lines disposed opposite each other with respect to one gate line of the plurality of gate lines are connected to each other through a storage bridge.

REMARKS